Fellowes

FlexCharge™ Series

Power Solutions



Introducing NEW 65W Power Modules with the latest PD 3.0 technology. With an upgraded design and more power for faster charging of laptops, phones and accessories it's the easy solution for any type of workspace.





FlexCharge™3C-65W

Personal Desktop Power

- One AC outlet
- One quick-charge USB-A port
- One quick-charge USB-C port
- Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount
- USB power delivery 3.0
- Meets spill-protection criteria
- 9.0' power cord
- UL and cUL listed
- Complies with CAN ICES (B) / NMB (B)
- Available in black or white finish



FlexCharge™4C-65W

Personal Desktop Power

- Two AC outlets
- One quick-charge USB-A port
- One quick-charge USB-C port (device dependent)
- Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount
- USB power delivery 3.0
- Meets spill-protection criteria
- UL and cUL listed
- 9.0' power cord
- Indicator light illuminates when built-in surge protection is active
- Complies with CAN ICES (B) / NMB (B)
- Available in black or white finish



FlexCharge™4CX-65W

Personal Desktop Power

- Two AC outlets
- One quick-charge USB-A port
- One quick-charge USB-C port
- Power strip: six AC outlets
- USB power delivery 3.0
- Power module: universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount
- Power strip: mounts below the worksurface
- Power module meets spillprotection criteria
- UL and cUL listed
- Chicago Code compliant mounting brackets on power strip
- Complies with CAN ICES (B) / NMB (B)
- 9.0' power cord (black)
- 28.5" connection cord (color matched to power module)
- Indicator light illuminates when built-in surge protection is active
- Available in black or white finish



FlexCharge™ Power Strip

65W Power Strip

- Power strip: six AC outlets
- Power strip can be either mounted under the worksurface using provided mounting brackets or used in conjunction with wire management accessories
- UL and cUL listed
- Chicago Code Compliant mounting brackets
- 9.0' power cord
- Indicator light illuminates when built-in surge protection is active
- Available in black finish



To contact a Fellowes® customer service representative, call 800-833-3746.

© 2025 Fellowes, Inc.