Iconik 2026

VINYL ROLLS

Your space,
Your way



Tarkett

CONTENTS

01

DISCOVER ICONIK

YOUR SPACE, YOUR WAY | 4
BUILDING NEW GROUND | 7
AUTHENTICITY, REIMAGINED FOR YOUR INTERIORS | 10
VINYL ROLLS FOR ALL USES | 14
INSTALLATION & CLEANING | 18
TECHNICAL OVERVIEW | 20
CONSTRUCTION AND ROOM APPLICATION | 22
DESIGN OVERVIEW | 24

02

TEXTILE | 40

ICONIK 200TEX | 42
ICONIK 260TEX | 66
ICONIK 280TEX | 92

03

FOAM | 148

ICONIK 150 | 150
ICONIK 260 | 178
ICONIK 300 | 250
ICONIK 240 | 280

04

PREMIUM | 324

CLASSIC 40 | 326
TOPAZ 70 | 348

05

TECHNICAL DETAILS AND FINISHES | 366

TECHNICAL DATA SHEETS | 368
ACCESSORIES | 378

YOUR SPACE, YOUR WAY

Style. Comfort. Durability.
Wherever life happens.

Iconik vinyl rolls are built to withstand the demands of every household and light commercial environments like hospitality lounges, meeting rooms, and small retail spaces.

In recent years, domestic habits have evolved. People are spending more time at home, whether working, relaxing, or enjoying everyday activities. This shift has led to a growing emphasis on creating interiors that are both practical and inspiring.

In their living spaces, people want comfort and flexibility – one day a nursery, the next an office and then back again. For their small businesses, creating environments that are both inviting and versatile is just as essential.

Across every space, peace of mind matters. Flooring that stands up to daily life – from shoe marks and heavy foot traffic to moments of celebration – assurance makes all the difference.

For all these reasons, vinyl rolls are the perfect choice when looking for an easy renovation.





FLANDERS 2
CARAMEL

BUILDING NEW GROUND

The pursuit of ‘always more’ is threatening our planet. The game must change, and we need to find a way to deliver more with less. As part of our Tarkett Human-Conscious Design® initiative, we aim to create a sustainability legacy, for present and future generations. To support this ambition, we offer a complete choice of stylish, comfortable, and long-lasting solutions that are good for the planet and contribute to healthier indoor air.

Reflecting our commitment to quality and sustainability, we design collections produced locally in Germany and Serbia. We manage every stage of the process – from raw material selection to design and production – ensuring a reduced environmental footprint while delivering exceptional product performance.

This has been our commitment, mission and mindset for over 100 years. At Tarkett, we have constantly pioneered sustainable change and this includes our new Iconik vinyl rolls.

LOWER CARBON IMPACT

We reduce greenhouse gas emissions throughout our value chain. In 2022, we switched to 100% green energy in both our facilities, where we produce the Iconik vinyl rolls.

100% green energy
Konz & Backa Palanka

CO_2 emissions reduced by more than **30% since 2022**

Long lifespan and superior luxury vinyl roll flooring for **reducing impact**

Cradle to gate
Average value
3.63 kg CO_2-eq/m²*

* According to EPD registration number EPD-IES-0001997:002 from the international EPD system

THE HIGHEST QUALITY MATERIALS

We commit to only using good materials with total transparency throughout production.
(Details are listed in our MHS).

MHS (MHS Material Health Statement): Telling you every last detail about our materials and their impact on health

97% materials **assessed**

EPD (Environmental Product Declaration): Telling you every last detail about our products and their impact on the environment

The way to better floors.

CONSCIOUSLY CIRCULAR

We transform vinyl floorings through our proprietary ReStart® take-back and recycling programme.

PRODUCED IN **GERMANY** AND **SERBIA**

Standing for quality, innovation and reliability, premium materials

Recycled content **up to 35%**

Filler made of up to **100% natural resources** (from marble/ limestone waste)

PET fibres in textile backing made of **100% recycled fibres**

Closed-loop recycling

Downcycling via a third party to valorise our production waste

GREATER WELL-BEING

Lowering our environmental footprint will never mean compromising on comfort, health, or overall well-being. Our products are designed to provide a warm and inviting atmosphere, ensuring comfort while minimizing walking noise to just 61dB, creating a serene and peaceful environment.

Acoustic comfort

Walking comfort

Optimal indoor air quality

Low formaldehyde emissions

Phthalate free

Allergy UK seal of approval



SHELLSTONE
GREY

AUTHENTICITY, REIMAGINED FOR YOUR INTERIORS

Inspired by the raw beauty of nature and the timeless lines of architecture, our new designs capture the warmth of wood, the elegance of marble, and the modernity of concrete.

The new Iconik vinyl rolls invite you to transform your space with durable and stylish surfaces that meet the demands of modern living.

MANY DESIGN CHOICES

Great classics that adapt seamlessly to all types of interiors.

NATURAL DÉCOR

A wide range of authentic designs and textures, inspired by wood and nature.

ULTRA MATT FINISH

Already a standout in our collections, the ultra matt finish amplifies realism like never before. With its remarkable, realistic, and sleek look, it brings out the true character of every space. Now also available for semi-commercial ranges.



ANTIK OAK
LIGHT NATURAL



FIBRA 4
MIST



CASPIAN OAK
LIGHT NATURAL



CEPPO
DARK GREY



ARCADIA
HONEY



MADISSON HERRINGBONE
LIGHT BEIGE



KNOX OAK
GREGE



NORDIC OAK
LIGHT BROWN

VINYL ROLLS FOR ALL USES

Iconik vinyl flooring is the ideal, goes-with-everything solution for a quick renovation. It offers three backing finishes that provide different performance standards, based on your needs.

All three are compatibile with underfloor heating and cooling systems, and offer great dimensional stability. Furthermore, the Iconik vinyl rolls are made up of **up to 35% recycled materials**.

ICONIK FOAM

These foam backing rolls are **100% recyclable** with a loose-lay installation.

- Warmth and comfort underfoot
- Wide range of iconic designs
- For any budget and for any room



1 **PUR treatment:** Extreme, R-Max, Supreme. Protects against scratches, wear and stains for **easy maintenance**. Helps prevent the visual ageing of your flooring.

2 **Wear layer:** **Protects** the design. Improves **durability**.

3 **Printed Design:** Offers a large choice or **colors** and **patterns**.

4 **Top foam layer:** Adds **warmth** and **comfort** underfoot. Grants outstanding **sound insulation**.

5 **Glass fiber:** Prevents the flooring from expanding or contracting to give increased **stability**.

6 **Back foam layer:** Offers the same advantages as the top foam layer for **added performance**.

Our honeycomb foam backing
provides excellent cushioning, is easily conformable, and remains flexible. PVC foams boast excellent sound absorption and shock absorption.

Foam
Iconik 150
Iconik 260
Iconik 300
Classic 40



Honeycomb
Iconik 240



ICONIK TEX

Ideal for renovation, the textile backing smoothes out irregularities. The PET fibers used in the textile backing are made of **100% recycled fibers** (recycled ocean plastic, production scraps, recycling trashes…).





- Covers irregularities without patching
- Loose-lay installation
- Reduces sound from 20 to 16 dB
- Increases walking comfort

CALENDERED FOAM BACKING

A semi-commercial product, resistant to indentation and tearing.



- Resistant to indentation in heavy use areas
- Adapted to daily demands, from home to commercial and semi-commercial use

Textile
Iconik 200Tex new
Iconik 260Tex
Iconik 280Tex



Calendered
Topaz 70



TARKETT RECOMMENDS LOOSE-LAY INSTALLATION FOR ALL ICONIK ROLLS UP TO 50 m²

A way to save time and refresh any interior

Only a knife and double-sided adhesive tape are required for installation. Even without prior experience, laying vinyl rolls is straightforward and stress-free. For added confidence, a step-by-step installation guide is included with all Iconik documents and can be accessed via the Tarkett website. Once the subfloor is clean and level, installation is quick and efficient. It can also be placed over existing flooring, except on foam-backed surfaces or carpets.

Our Iconik foam backing does not require any glue on surface areas of 50 m² or less. Therefore, it can be collected by installers and recycled through our proprietary ReStart® programme*.

* Local Tarkett sales offices can provide details on how to register for ReStart® in each region.

> 50 m²

For a surface area of 50 m² or more, a glue-down installation is required. Tarkospray can be used for foam backing flooring and standard glue for textile backing.



CASPIAN OAK
LIGHT NATURAL

OPTIMIZED FOR EFFORTLESS CLEANABILITY

Thanks to its special PUR surface treatment, Iconik vinyl flooring offer exceptional resistance to everyday mishaps. Cleanability has been enhanced further with shallower embossing, creating a surface that traps less dirt and delivers high stain resistance. This subtle refinement ensures faster, easier, and more effective daily cleaning – all without compromising the authentic look and feel of the design. Maintaining this gentle cleaning routine helps Iconik floors stay hygienic and looking as good as new. Cleaning requires nothing more than a simple mop.

Daily: wipe or vacuum.

Once a week, or more frequently if needed, the floor should be wiped with a damp mop or cloth using warm water and a neutral detergent.

Whenever necessary, dust should be removed with a broom or vacuum cleaner to prevent dirt and dust build-up.

Seam-free installation reduces dirt build-up, making vinyl rolls even easier to clean and maintain. This approach also supports a healthier environment and contributes positively to the planet.

ICONIK VINYL ROLLS

BENEFITS / COLLECTIONS	CLASS OF USE	THICKNESS (mm)	WEAR LAYER (mm)	ACOUSTIC (dB)	INDENTATION (mm)	DIMENSIONAL STABILITY (%)	BACKING	GUARANTEE (domestic use)
ICONIK 150	21	1.5	0.15	12	≤ 0.25	≤ 0.15	Foam	5
ICONIK 200TEX	21	2.0	0.15	15	≤ 0.35	≤ 0.15	Textile	5
ICONIK 260	22 / 22+	2.6	0.22	20	≤ 0.25	≤ 0.15	Foam	10
ICONIK 260TEX	22 / 22+	2.6	0.20	18	≤ 0.35	≤ 0.15	Textile	10
ICONIK 300	23 / 31	3.0	0.25	20	≤ 0.25	≤ 0.15	Foam	10
ICONIK 240	23 / 32	2.4	0.35	16	≤ 0.20	≤ 0.15	Foam with honey comb	15
ICONIK 280TEX	23 / 32	2.8	0.35	19	≤ 0.20	≤ 0.15	Textile	15
CLASSIC 40	23 / 32 / 41	2.0	0.40	13	≤ 0.10	≤ 0.40	Foam	15
TOPAZ 70	23 / 34 / 43	2.5	0.70	14	≤ 0.10	≤ 0.10	Calendered foam	15

CONSTRUCTION AND ROOM APPLICATION



DESIGN OVERVIEW

SMOOTH WOOD EFFECT

AMBOISE


BLANC
Iconik 260


CHOCOLAT
Iconik 260

ANCARES OAK PLANK


BEIGE
Iconik 280Tex


GREGE
Iconik 280Tex


LIMED
Iconik 280Tex


BROWN
Iconik 280Tex


GREY
Iconik 280Tex

SMOOTH WOOD EFFECT

ANTIK OAK


KAOLIN
Topaz 70


LIGHT NATURAL
Topaz 70


LIGHT BROWN
Topaz 70

APUNARA OAK


WHITE
Iconik 280Tex


NATURAL
Iconik 280Tex


LIGHT GREY
Iconik 280Tex


GREY
Iconik 280Tex


DARK GREY
Iconik 280Tex

SMOOTH WOOD EFFECT

ARCADIA


HONEY
NEW Iconik 200Tex


LIGHT BEIGE
Iconik 300


MIDDLE NATURAL
Iconik 280Tex


MIDDLE GREY
Iconik 280Tex


SOFT BROWN
NEW Iconik 200Tex


NATURAL
Iconik 260

BEECH

WHITE
NEW Iconik 150


AMBER
NEW Iconik 300


LIGHT BROWN
Iconik 280Tex


BEIGE BROWN
Iconik 260


BEIGE YELLOW
Iconik 280Tex


NATURAL
Classic 40

SMOOTH WOOD EFFECT

BONSAI OAK


SPELT
Iconik 200Tex


CARAMEL
Iconik 200Tex


SLATE
Iconik 200Tex

CARTER


PEARL
NEW Iconik 260


ARGENT
NEW Iconik 260

CASPIAN OAK


LIGHT NATURAL
NEW Iconik 300


HONEY
NEW Iconik 300


SMOKED
NEW Iconik 300


WALNUT
NEW Iconik 300

CHENE


NATURAL
Iconik 150

CITIZEN OAK


NATURAL
Iconik 240


MEDIUM GREY
Iconik 240


DARK GREY
Iconik 240

CLASSICAL OAK


NATURAL
Iconik 240

DERBY


WHITE
NEW Iconik 260Tex


LIGHT GREY
NEW Iconik 260Tex

ESTATE OAK


LIGHT NATURAL
NEW Iconik 260Tex
NEW Iconik 260


ALMOND
Iconik 260Tex
Iconik 260


BARLEY
Iconik 200Tex


PEBBLE
Iconik 260


SLATE
Iconik 260

FRENCH OAK


WHITE
Iconik 240


DUN
NEW Iconik 200Tex


LIGHT
Iconik 260Tex


REED
NEW Iconik 280Tex


PAPYRUS
NEW Iconik 260Tex


WHEAT
NEW Iconik 200Tex


TAN
NEW Iconik 200Tex


GREY BEIGE
Iconik 150


LIGHT NATURAL
Iconik 260Tex


MEDIUM BEIGE
Iconik 240


LIGHT GREY
Iconik 240


GREGE
Iconik 240


DIM GREY
NEW Iconik 200Tex

DARK GREY
Iconik 240

GEA


LIGHT BROWN
Iconik 260
Classic 40


NATURAL
Iconik 280Tex


LIGHT WARM BROWN
Classic 40


GREY
Iconik 280Tex


LIGHT GREY
Iconik 280Tex

HARMONY OAK


SALT
NEW Classic 40

HAZELNUT


NATURAL
Iconik 150


BROWN
Iconik 150

INFINITY OAK

WHITE
Iconik 260


BEIGE
Iconik 260


GREY
Iconik 260


DARK GREY
Iconik 260


NATURAL
Iconik 260

LEGACY OAK


IVORY
Iconik 280Tex


SAND
Iconik 280Tex

LIGHT NATURAL
Iconik 240

LIGHT GREY
Iconik 280Tex
Iconik 240

BEIGE
Iconik 240

MAPLE

BEIGE
Iconik 240

SMOOTH WOOD EFFECT

MELEZE



WHITE
Iconik 300

MILL OAK



LIGHT GREY
Iconik 240



LIGHT BROWN
Iconik 240

NATURE OAK



LIGHT BROWN
Iconik 280Tex

ROBUR



WHITE
Iconik 260



YELLOW
Iconik 260

RUSTIC OAK



LIGHT BEIGE
Iconik 260



GREY
Iconik 260



DARK GREY
Iconik 260

SMOOTH WOOD EFFECT

SLOW OAK



WHITE
Iconik 280Tex



NATURAL
Iconik 280Tex



BROWN
Iconik 280Tex

SOFT ELM



AUTHENTIC
Classic 40



CARAMEL
Classic 40

TREND OAK



BEIGE
Iconik 280Tex

URBAN OAK



GOLDEN
Topaz 70



FALLOW
NEW Classic 40
Topaz 70



SMOKED
NEW Classic 40
Topaz 70



TOFFEE
NEW Classic 40
Topaz 70

SMOOTH WOOD EFFECT

VACANO

WHITE
Iconik 260

VINTAGE OAK



LIGHT BEIGE
Iconik 260



MIDDLE GREY
Iconik 260



DARK BLACK
Iconik 260

VINTAGE PINE



SNOW
Iconik 260

WESTWING OAK



NATURAL
Classic 40



GREY
Classic 40



BROWN
Classic 40

SMOOTH WOOD EFFECT

WINTER PINE



SOFT BEIGE
Topaz 70



GREGE
Iconik 240



SAND
Iconik 280Tex



SOFT NATURAL
Topaz 70



PEBBLE GREY
Topaz 70



SMOKE
Iconik 280Tex

KNOTTED WOOD EFFECT

ADMIRAL



LIGHT GREY
Iconik 150
Iconik 300



GREGE
Iconik 300

AUTHENTIC



WHITE
Iconik 300



NATURAL
Iconik 260



DARK NATURAL
Iconik 280Tex
Iconik 150



NATURAL BROWN
Iconik 300



CHOCOLATE
Iconik 280Tex

CASTEL



ETUVE
Iconik 280Tex

FLANDERS 2



CARAMEL
NEW Iconik 260Tex



STONE GREY
NEW Iconik 260Tex

FUMED OAK



GREY BEIGE
Iconik 280Tex



SOFT BEIGE
Iconik 280Tex



LIGHT BROWN
Iconik 280Tex



NATURAL BEIGE
Iconik 280Tex



MEDIUM BROWN
Iconik 280Tex

HUDSON OAK

NATURAL WHITE
NEW Iconik 280Tex



LIGHT GREGE
NEW Iconik 260Tex
NEW Iconik 280Tex



LIGHT NATURAL
NEW Iconik 280Tex
NEW Iconik 240



LIGHT BROWN
NEW Iconik 260Tex
NEW Iconik 280Tex
NEW Iconik 240

NEW Topaz 70



DARK GREGE
NEW Iconik 260Tex
NEW Iconik 280Tex
NEW Iconik 240



MARRON
NEW Topaz 70



GREY
NEW Iconik 260Tex

JURA



BROWN
Iconik 150

NORDIC OAK



WEATHERED
NEW Iconik 280Tex
NEW Iconik 240



SAND
NEW Iconik 280Tex
NEW Iconik 240



LIGHT BROWN
NEW Iconik 280Tex
NEW Iconik 240



DARK NATURAL
NEW Iconik 280Tex
NEW Iconik 240



BROWN
NEW Iconik 240

OLD MELEZE



DARK GREY
Iconik 260



LIGHT BROWN
Iconik 260



GREY
Iconik 260

POWELL OAK



GREY
Iconik 240



HAY
Iconik 280Tex



BLONDE
Iconik 280Tex
Iconik 240



SAND
NEW Classic 40



LIGHT NATURAL
NEW Classic 40



GOLD
Iconik 280Tex



BRONZE
Iconik 280Tex
Iconik 240



CHESTNUT
NEW Classic 40

SHERWOOD



MOYEN
Iconik 150



JARRAH
Iconik 150

KNOTTED WOOD EFFECT

SWAN

LIGHT GREY
Iconik 260Tex



LIGHT GREGE
Iconik 300
NEW Iconik 260Tex



BLOND
Topaz 70



REED
NEW Iconik 260



HAZEL
Topaz 70



RUSSET
Topaz 70



GREGE
Iconik 280Tex



DARK BEIGE
Iconik 150



MEDIUM NATURAL
Iconik 280Tex



PEARL GREY
Iconik 150



MEDIUM GREY
Iconik 260Tex
Iconik 260



MEDIUM GREGE
Iconik 260Tex



DRIFTWOOD
Topaz 70

KNOTTED WOOD EFFECT

SWAN



SOFT GREY
NEW Iconik 260Tex



TAUPE
Iconik 260



DARK GREY
Iconik 260



GREY
Iconik 300

TYROL PINE

WHITE
Iconik 240

HERRINGBONE & CHEVRON PATTERNS

ANCARES HERRINGBONE



DUN
NEW Iconik 200Tex



GREGE
Iconik 280Tex
Iconik 240



ALMOND
NEW Iconik 240



TAN
NEW Iconik 200Tex



WHEAT
NEW Iconik 200Tex

HERRINGBONE & CHEVRON PATTERNS

ANCARES HERRINGBONE



LION
NEW Iconik 240



LIMED
Iconik 280Tex



BROWN
Iconik 280Tex



GREY
Iconik 280Tex



DIM GREY
NEW Iconik 200Tex

BAVARIA HERRINGBONE



BEIGE
NEW Iconik 300



NATURAL
NEW Iconik 300

MADISON HERRINGBONE



LIGHT BEIGE
NEW Iconik 300



HONEY
NEW Iconik 300



LIGHT BROWN
NEW Iconik 300



GREY
NEW Iconik 300

HERRINGBONE & CHEVRON PATTERNS

SKANE HERRINGBONE



NATURAL
Iconik 260Tex
Iconik 260



BLONDE
Iconik 260



SAND
Iconik 260



STONE
NEW Iconik 260Tex
Iconik 260



BROWN
NEW Iconik 260Tex



WALNUT
NEW Iconik 260Tex

SLIM

PEARL
NEW Iconik 260

ARGENT
Iconik 260

VALLEY

MARTON BEIGE
Iconik 200Tex

MARTON GREY
Iconik 200Tex

SPELT
Iconik 200Tex

BRUSHED / CERUSED WOOD EFFECT

BISCAY II



ALU BROWN
Iconik 150

KNOX OAK



GREGE
NEW Iconik 260



DARK GREY
NEW Iconik 260

PAINTED WOOD



LIGHT GREY
Iconik 260

GREY
Iconik 260

TREND PINE



MULTICOLOR
Iconik 260



WARM BLUE
NEW Iconik 260

CERAMIC EFFECT

ALMERIA



NATURAL
Iconik 240



BLACK
Iconik 240

CERAMIC EFFECT

AMALFI



ASHES
NEW Iconik 200Tex



COAL
NEW Iconik 200Tex



MID GREY
Iconik 200Tex

CHAMPAGNE



LIGHT GREY
NEW Iconik 300



DARK GREY
NEW Iconik 300

COSMO



SMOKE
NEW Iconik 240



STEEL
Iconik 240

ROXFORD



FRENCH GREY
Iconik 280Tex



COAL
NEW Iconik 280Tex

WARSAW



GREY SILVER
Iconik 200Tex

CERAMIC EFFECT

ZARAGOZA TILE



INDIGO
Iconik 260



DARK GREY
NEW Iconik 260

GRAPHIC

ALBI



BLACK AND WHITE
Iconik 240

CASTILLO



NAVY
NEW Iconik 260



CARBON
NEW Iconik 260

ECHIQUIER 2



BLACK WHITE
Iconik 260

LOGIS



BLACK & WHITE
Iconik 200Tex
Iconik 240

MACADAM



GREEN
Iconik 300

GRAPHIC

METALLICA



GREY
Iconik 260

MONOCHROME X



SHADOW
NEW Iconik 260Tex

MONOCHROME Y



SHADOW
NEW Iconik 260Tex

PLAYFUL



MULTICOLOUR
Iconik 300

STONE EFFECT

ALBASTONE



WHITE
NEW Iconik 200Tex
NEW Iconik 260

ARDINA



LIGHT GREY
NEW Iconik 200Tex



GREY
Iconik 260Tex

CATERA

GREGE
Iconik 280Tex



MIDDLE GREY
Iconik 280Tex

CEPPO



GREY
NEW Iconik 240



DARK GREY
NEW Iconik 280Tex
NEW Iconik 260
NEW Iconik 240

COTTAGE STONE



BEIGE
Iconik 280Tex



PEBBLE
NEW Iconik 280Tex



BLACK
Iconik 280Tex

FIBRA 4

MIST
Iconik 260



MOUSE
NEW Iconik 200Tex



GRAVEL
Iconik 200Tex
Iconik 260



PEPPLE
Iconik 260



TARMAC
Iconik 260

GRANITE



DESERT
NEW Iconik 260



ALU BLACK
Iconik 260

MADRAS



GREY
Iconik 300

MARBLE BIANCO HEXAGON



GOLD
Iconik 260

MAYA



GRIS
Iconik 300



NOIR
Iconik 300

MELBOURNE



GRIS
Iconik 260Tex
Iconik 280Tex
Iconik 150

Iconik 260



GREGE
Iconik 260Tex



CINDERS
NEW Iconik 260



LIGHT BROWN
Iconik 280Tex
Iconik 150



NOIR
Iconik 280Tex
Iconik 150
Iconik 260

MODERN SLATE



GREY BEIGE
Iconik 150

NERO MARQUINE



BLACK
Iconik 260
Iconik 240

NERO MARQUINE HEXAGON



GOLD
Iconik 260

PIETRA SACRA



LIGHT GREY
Iconik 280Tex



MEDIUM GREY
Iconik 280Tex

PINTO



LIGHT GREY
Iconik 150

ROCK

MIDDLE BEIGE
Iconik 260Tex
Iconik 260



SNOW BEIGE
Iconik 240



MIDDLE GREY
Iconik 240



GREY BLACK
Iconik 260Tex
Iconik 280Tex
Iconik 260

Iconik 240
Classic 40



BLACK SILVER
Iconik 260



CHARCOAL
Iconik 240

STONE EFFECT

TENDENZA



COOL GREY
Iconik 260
Classic 40



DARK GREY
Iconik 260
Classic 40

CONCRETE EFFECT

KIRUMA



WARM BEIGE
Iconik 260Tex



GREY
Iconik 280Tex



BURNT SAND
Topaz 70



CINDERS
NEW Iconik 280Tex
Topaz 70



COBBELSTONE
Topaz 70



CINEROUS
NEW Iconik 260Tex
NEW Iconik 280Tex
Topaz 70



METALIC GREY
Iconik 240



METALIC BLACK
Iconik 240

CONCRETE EFFECT

POLISHED CONCRETE



LIGHT GREY
Iconik 300



GREGE
Iconik 300

SHELLSTONE



IVORY
NEW Iconik 260
NEW Iconik 240



GREGE
NEW Iconik 280Tex
NEW Iconik 240
NEW Topaz 70



MEDIUM GREY
NEW Iconik 280Tex
NEW Iconik 260
NEW Iconik 240

NEW Topaz 70



GREY
NEW Iconik 280Tex
NEW Iconik 240

STROMBOLI



GRIS CLAIR
Iconik 150



GRIS FONCE
Iconik 150

STYLISH CONCRETE



GREY
Iconik 240



DARK GREY
Iconik 240

ALLOVER

CAMINO



GREY
NEW Classic 40



WHITE GOLD
NEW Classic 40

CLIC



CLAIR
Topaz 70



GREGE
Topaz 70



BEIGE
Topaz 70



WARM GREY
Topaz 70



GREY
Topaz 70



NOIR
Topaz 70

DJ

WHITE
Iconik 260



GREY
Iconik 260



BLACK
Iconik 260

ALLOVER

ORO



ASHES
Topaz 70



TERRA
Topaz 70

STARDUST



GREY BEIGE
NEW Classic 40



GREY
NEW Classic 40



DARK GREY
NEW Classic 40



BLACK
NEW Classic 40

TEXTILE

ICONIK 200TEX | 42
ICONIK 260TEX | 66
ICONIK 280TEX | 92

ICONIK Textile loose-lay installation **quietens spaces** thanks to sound reduction and **improves walking comfort**. Perfect for renovations, the textile backing creates a flawless finish while **covering irregularities**. Crafted from recycled PET fibers, it offers a **sustainable choice** without compromising style.

AVAILABLE WITH CUTTING SERVICE



SHELLSTONE
MEDIUM GREY

ICONIK 200TEX | ANCARES HERRINGBONE

FORMAT
8.8 × 35.5 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



new

ANCARES HERRINGBONE
DUN

2 m – 240033425
3 m – 240032425
4 m – 240031425



new

ANCARES HERRINGBONE
TAN

2 m – 240033426
3 m – 240032426
4 m – 240031426



new

ANCARES HERRINGBONE
DIM GREY

2 m – 240033427
3 m – 240032427
4 m – 240031427



new

ANCARES HERRINGBONE
WHEAT

2 m – 240033424
3 m – 240032424
4 m – 240031424



ICONIK 200TEX | **VALLEY**

FORMAT
7.5 × 35.5 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT









ICONIK 200TEX | **ARCADIA**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 200TEX | **BONSAI OAK**

FORMAT
8.35 × 50 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS

*

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT









BONSAI OAK
SPELT

ICONIK 200TEX | **ESTATE OAK**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 200TEX | FRENCH OAK

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



FRENCH OAK
DUN









ICONIK 200TEX | **ALBASTONE**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

ALBASTONE
WHITE

new

2 m – 240033715
3 m – 240032715
4 m – 240031715

Scale 1:2

Scale 1:6



ALBASTONE
WHITE

ICONIK 200TEX | **ARDINA**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 200TEX | **FIBRA 4**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

new

FIBRA 4
MOUSE

2 m – 240033430
3 m – 240032430
4 m – 240031430

Scale 1:2

Scale 1:6



FIBRA 4
GRAVEL

FIBRA 4
GRAVEL

2 m – 240033017
3 m – 240032017
4 m – 240031017

Scale 1:2

Scale 1:6

ICONIK 200TEX | **AMALFI**

FORMAT
25 × 50 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



AMALFI
ASHES







ICONIK 200TEX | **WARSAW**

FORMAT
20 × 40 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 200TEX | **LOGIS**

FORMAT
25 × 25 cm | tiles

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.0 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



LOGIS
BLACK AND WHITE

2 m – 240033021
3 m – 240032021
4 m – 240031021



ICONIK 260TEX | SKANE HERRINGBONE

FORMAT
11.75 × 47.25 cm | planks

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

SKANE HERRINGBONE
BROWN

2 m – 240017023
3 m – 240012023
4 m – 240007023

Scale 1:2
Scale 1:6

SKANE HERRINGBONE
WALNUT

new

2 m – 27122421
3 m – 27121421
4 m – 27120421

Scale 1:2
Scale 1:6

SKANE HERRINGBONE
STONE

new

2 m – 27122404
3 m – 27121404
4 m – 27120404

Scale 1:2
Scale 1:6

SKANE HERRINGBONE
NATURAL

2 m – 240017021
3 m – 240012021
4 m – 240007021

Scale 1:2
Scale 1:6



SKANE HERRINGBONE
NATURAL

ICONIK 260TEX | **DERBY**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 260TEX | **ESTATE OAK**

FORMAT
16.66 × 100 cm | planks

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

ESTATE OAK
LIGHT NATURAL

new

2 m – 27122446
3 m – 27121446
4 m – 27120446

Scale 1:2

Scale 1:6

ESTATE OAK
ALMOND

2 m – 240017001
3 m – 240012001
4 m – 240007001

Scale 1:2

Scale 1:6



ESTATE OAK
LIGHT NATURAL

ICONIK 260TEX | **FLANDERS 2**

FORMAT
20 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260TEX | **FRENCH OAK**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

FRENCH OAK
LIGHT

2 m – 27122003
3 m – 27121003
4 m – 27120003



new

FRENCH OAK
PAPYRUS

2 m – 27122454
3 m – 27121454
4 m – 27120454





FRENCH OAK
PAPYRUS

FRENCH OAK
LIGHT NATURAL

2 m – 27122002
3 m – 27121002
4 m – 27120002



ICONIK 260TEX | **HUDSON OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT











ICONIK 260TEX | **SWAN**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



SWAN
LIGHT GREY

2 m – 240017049
3 m – 240012049
4 m – 240007049

Scale 1:2
Scale 1:6

SWAN
MEDIUM GREGE

2 m – 27122010
3 m – 27121010
4 m – 27120010

Scale 1:2
Scale 1:6

SWAN
SOFT GREY

new

2 m – 27122019
3 m – 27121019
4 m – 27120019

Scale 1:2
Scale 1:6

SWAN
MEDIUM GREY

2 m – 27122009
3 m – 27121009
4 m – 27120009

Scale 1:2
Scale 1:6

SWAN
LIGHT GREGE

new

2 m – 27122456
3 m – 27121456
4 m – 27120456

Scale 1:2
Scale 1:6

ICONIK 260TEX | **ARDINA**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



ARDINA
GREY

2 m – 27122001
3 m – 27121001
4 m – 27120001



ARDINA
GREY

ICONIK 260TEX | **KIRUMA**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260TEX | **MELBOURNE**

FORMAT
25 × 50 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260TEX | **ROCK**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



ROCK
MIDDLE BEIGE

ROCK
MIDDLE BEIGE

2 m – 240017048
3 m – 240012048
4 m – 240007048

Scale 1:2

Scale 1:6

ROCK
GREY BLACK

2 m – 240017047
3 m – 240012047
4 m – 240007047

Scale 1:2

Scale 1:6

ICONIK 260TEX | **MONOCHROME X**

FORMAT
20 × 20 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 260TEX | **MONOCHROME Y**

FORMAT
20 × 20 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.20 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 280TEX | ANCARES HERRINGBONE

FORMAT
8.8 × 35.5 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

ANCARES HERRINGBONE
LIMED

2 m – 27027046
3 m – 27020046
4 m – 27013046

Scale 1:2

Scale 1:6

ANCARES HERRINGBONE
BROWN

2 m – 27027048
3 m – 27020048
4 m – 27013048

Scale 1:2

Scale 1:6

ANCARES HERRINGBONE
GREGE

2 m – 27027050
3 m – 27020050
4 m – 27013050

Scale 1:2

Scale 1:6

ANCARES HERRINGBONE
GREY

2 m – 27027049
3 m – 27020049
4 m – 27013049

Scale 1:2

Scale 1:6



ANCARES HERRINGBONE
GREGE

ICONIK 280TEX | ANCARES OAK PLANK

FORMAT
16.66 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



ANCARES OAK PLANK
BEIGE

2 m – 27027052
3 m – 27020052
4 m – 27013052



Scale 1:6

ANCARES OAK PLANK
LIMED

2 m – 27027055
3 m – 27020055
4 m – 27013055



Scale 1:6

ANCARES OAK PLANK
GREY

2 m – 27027054
3 m – 27020054
4 m – 27013054



Scale 1:6

ANCARES OAK PLANK
GREGE

2 m – 27027051
3 m – 27020051
4 m – 27013051



Scale 1:6

ANCARES OAK PLANK
BROWN

2 m – 27027053
3 m – 27020053
4 m – 27013053



Scale 1:6

ICONIK 280TEX | **APUNARA OAK**

FORMAT
16.5 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT













ICONIK 280TEX | **ARCADIA**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



ARCADIA
MIDDLE GREY



ARCADIA
MIDDLE NATURAL





ICONIK 280TEX | **AUTHENTIC**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 280TEX | **BEECH**

FORMAT
7 × 26.5/30 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



BEECH
LIGHT BROWN

2 m – 5591004
3 m – 5590004
4 m – 5589004



BEECH
BEIGE YELLOW

2 m – 5591003
3 m – 5590003
4 m – 5589003



BEECH
LIGHT BROWN

ROXFORD
COAL

ICONIK 280TEX | **CASTEL**

FORMAT
7 × multi-length cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 280TEX | **FRENCH OAK**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 280TEX | **FUMED OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
100 × 150 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT













ICONIK 280TEX | **GEA**

FORMAT
11.1 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



GEA
NATURAL







ICONIK 280TEX | **HUDSON OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT













ICONIK 280TEX | **LEGACY OAK**

FORMAT
20 × 133 cm | planks

PATTERN REPEAT
100 × 133 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT









ICONIK 280TEX | **NATURE OAK**

FORMAT
16.66 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 280TEX | **NORDIC OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT











ICONIK 280TEX | **POWELL OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



POWELL OAK
BRONZE

POWELL OAK
HAY

2 m – 240018020
3 m – 240013020
4 m – 240008020



POWELL OAK
BLONDE

2 m – 240018018
3 m – 240013018
4 m – 240008018



POWELL OAK
GOLD

2 m – 240018017
3 m – 240013017
4 m – 240008017



POWELL OAK
BRONZE

2 m – 240018019
3 m – 240013019
4 m – 240008019



ICONIK 280TEX | **SLOW OAK**

FORMAT
12.5 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

SLOW OAK
WHITE

2 m – 27027011
3 m – 27020011
4 m – 27013011



SLOW OAK
BROWN

2 m – 27027009
3 m – 27020009
4 m – 27013009





SLOW OAK
WHITE

SLOW OAK
NATURAL

2 m – 27027008
3 m – 27020008
4 m – 27013008



ICONIK 280TEX | **SWAN**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 280TEX | **TREND OAK**

FORMAT
7 × 28/72 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



TREND OAK
BEIGE

TREND OAK
BEIGE

2 m – 5591048
3 m – 5590046
4 m – 5589050

Scale 1:2

Scale 1:6

ICONIK 280TEX | **WINTER PINE**

FORMAT
20 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

WINTER PINE
SMOKE

2 m – 27027023
3 m – 27020023
4 m – 27013023

Scale 1:2

Scale 1:6

WINTER PINE
SAND

2 m – 27027022
3 m – 27020022
4 m – 27013022

Scale 1:2

Scale 1:6



WINTER PINE
SMOKE

ICONIK 280TEX | **CATERA**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE
EXTREME PROTECTION
EXTRA MATT



CATERA
MIDDLE GREY

CATERA
GREGE

2 m – 5591002
3 m – 5590002
4 m – 5589002

Scale 1:2

Scale 1:6

CATERA
MIDDLE GREY

2 m – 5591081
3 m – 5590079
4 m – 5589083

Scale 1:2

Scale 1:6

ICONIK 280TEX | **CEPPO**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 280TEX | **COTTAGE STONE**

FORMAT
17.5 × 17.5 cm / 45° | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



COTTAGE STONE
BEIGE







ICONIK 280TEX | **KIRUMA**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



KIRUMA
GREY

2 m – 5591118
3 m – 5590118
4 m – 5589118

Scale 1:2

Scale 1:6

new

KIRUMA
CINDERS

2 m – 27027400
3 m – 27020400
4 m – 27013400

Scale 1:2

Scale 1:6

new

KIRUMA
CINEROUS

2 m – 27027401
3 m – 27020401
4 m – 27013401

Scale 1:2

Scale 1:6

ICONIK 280TEX | **MELBOURNE**

FORMAT
25 × 50 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

MELBOURNE
GRIS

2 m – 6750047
3 m – 6749047
4 m – 6748047



Scale 1:6

MELBOURNE
LIGHT BROWN

2 m – 6750048
3 m – 6749048
4 m – 6748048



Scale 1:6



MELBOURNE
NOIR

MELBOURNE
NOIR

2 m – 6750038
3 m – 6749038
4 m – 6748038



Scale 1:6

ICONIK 280TEX | **PIETRA SACRA**

FORMAT
33.33 × 50 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



PIETRA SACRA
MEDIUM GREY

PIETRA SACRA
LIGHT GREY

2 m – 240018014
3 m – 240013014
4 m – 240008014



PIETRA SACRA
MEDIUM GREY

2 m – 240018015
3 m – 240013015
4 m – 240008015

ICONIK 280TEX | **ROCK**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

ROCK
GREY BLACK

2 m – 5591121
3 m – 5590121
4 m – 5589121

Scale 1:2

Scale 1:6



ROCK
GREY BLACK

ICONIK 280TEX | **ROXFORD**

FORMAT
Various | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 280TEX | **SHELLSTONE**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.8 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



SHELLSTONE
MEDIUM GREY

SHELLSTONE new
GREGE

2 m – 27027494
3 m – 27020494
4 m – 27013494

Scale 1:2

Scale 1:6

SHELLSTONE new
MEDIUM GREY

2 m – 27027495
3 m – 27020495
4 m – 27013495

Scale 1:2

Scale 1:6

SHELLSTONE new
GREY

2 m – 27027493
3 m – 27020493
4 m – 27013493

Scale 1:2

Scale 1:6

FOAM

ICONIK 150 | 150
ICONIK 260 | 178
ICONIK 300 | 250
ICONIK 240 | 280

ICONIK Foam is **built to last**. Its advanced protection keeps floors beautiful for years, by **protecting against stains and resisting wear**. Warmth, sound insulation, and iconic designs come together to create comfort and style for every way of life. **Fully recyclable** and **easy to install** with a range of designs to suit any room.

AVAILABLE WITH CUTTING SERVICE



AUTHENTIC
NATURAL

ICONIK 150 | **ADMIRAL**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
100 × 150 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 150 | **AUTHENTIC**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 150 | **BEECH**

FORMAT
7 × 26.5/30 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 150 | **BISCAY II**

FORMAT
9.1 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 150 | **CHENE**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 150 | **FRENCH OAK**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 150 | **HAZELNUT**

FORMAT
12.5 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 150 | **JURA**

FORMAT
multi-length × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 150 | **SHERWOOD**

FORMAT
12.5 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 150 | **SWAN**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 150 | **MELBOURNE**

FORMAT
25 × 50 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT









ICONIK 150 | **MODERN SLATE**

FORMAT
33 × 50 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 150 | **PINTO**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS

* All rooms except for Home office and Entrance / Hallway

BENEFITS

5 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

PINTO
LIGHT GREY

2 m – 5337076
3 m – 5263107
4 m – 5206116

Scale 1:2

Scale 1:6



PINTO
LIGHT GREY

ICONIK 150 | **STROMBOLI**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
1.5 mm

WEAR LAYER
0.15 mm

SEGMENTS
*

* All rooms except for Home office and Entrance / Hallway

BENEFITS
5 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260 | SKANE HERRINGBONE

FORMAT
11.75 × 47.25 cm | planks

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



SKANE HERRINGBONE
BLONDE

SKANE HERRINGBONE
STONE

2 m – 240016323
3 m – 240011323
4 m – 240006323

Scale 1:2

Scale 1:6

SKANE HERRINGBONE
SAND

2 m – 240016322
3 m – 240011322
4 m – 240006322

Scale 1:2

Scale 1:6

SKANE HERRINGBONE
NATURAL

2 m – 240016021
3 m – 240011021
4 m – 240006021

Scale 1:2

Scale 1:6

SKANE HERRINGBONE
BLONDE

2 m – 240016022
3 m – 240011022
4 m – 240006022

Scale 1:2

Scale 1:6

ICONIK 260 | **SLIM**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260 | **AMBOISE**

FORMAT
16.66 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260 | **ARCADIA**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 260 | **AUTHENTIC**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 260 | **BEECH**

FORMAT
7 × 26.5/30 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 260 | **CARTER**

FORMAT
16 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 260 | **ESTATE OAK**

FORMAT
16.66 × 100 cm | planks

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT











ICONIK 260 | **GEA**

FORMAT
11.1 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 260 | **INFINITY OAK**

FORMAT
25 cm × infinite | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT













ICONIK 260 | **KNOX OAK**

FORMAT
20 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260 | **OLD MELEZE**

FORMAT
20 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT









ICONIK 260 | **PAINTED WOOD**

FORMAT
12.5 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260 | **ROBUR**

FORMAT
7.8 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 260 | **RUSTIC OAK**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



RUSTIC OAK
GREY







ICONIK 260 | **SWAN**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



SWAN
MEDIUM GREY

2 m – 27125110
3 m – 27124110
4 m – 27123110



SWAN
TAUPE

2 m – 27125107
3 m – 27124107
4 m – 27123107



new

SWAN
REED

2 m – 27125450
3 m – 27124450
4 m – 27123450



SWAN
DARK GREY

2 m – 27125106
3 m – 27124106
4 m – 27123106



ICONIK 260 | **TREND PINE**

FORMAT
Various | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 260 | **VACANO**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

VACANO
WHITE

2 m – 27125115
3 m – 27124115
4 m – 27123115

Scale 1:2

Scale 1:6



VACANO
WHITE

ICONIK 260 | **VINTAGE OAK**

FORMAT
20 × 133 cm | planks

PATTERN REPEAT
100 × 133 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT









ICONIK 260 | **VINTAGE PINE**

FORMAT
10.3/17 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 260 | **ALBASTONE**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

ALBASTONE
WHITE

new

2 m – 27125516
3 m – 27124516
4 m – 27123516

Scale 1:2

Scale 1:6



ALBASTONE
WHITE

ICONIK 260 | **CEPPO**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE
EXTREME PROTECTION
EXTRA MATT





ICONIK 260 | **FIBRA 4**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



FIBRA 4
GRAVEL

FIBRA 4
MIST

2 m – 240016004
3 m – 240011004
4 m – 240006004

Scale 1:2

Scale 1:6

FIBRA 4
GRAVEL

2 m – 240016005
3 m – 240011005
4 m – 240006005

Scale 1:2

Scale 1:6

FIBRA 4
PEPPLE

2 m – 240016007
3 m – 240011007
4 m – 240006007

Scale 1:2

Scale 1:6

FIBRA 4
TARMAC

2 m – 240016006
3 m – 240011006
4 m – 240006006

Scale 1:2

Scale 1:6

ICONIK 260 | **GRANITE**

FORMAT
25 × 25 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 260 | MARBLE BIANCO HEXAGON

FORMAT
14.2 × 16.5 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 260 | **MELBOURNE**

FORMAT
25 × 50 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT









ICONIK 260 | NERO MARQUINE

FORMAT
Allover

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

NERO MARQUINE
BLACK

2 m – 27125134
3 m – 27124134
4 m – 27123134

Scale 1:2

Scale 1:6



NERO MARQUINE
BLACK

ICONIK 260 | NERO MARQUINE HEXAGON

FORMAT
14.2 × 16.5 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 260 | **ROCK**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

ROCK
GREY BLACK

2 m – 27125070
3 m – 27124070
4 m – 27123070

Scale 1:2

Scale 1:6

ROCK
BLACK SILVER

2 m – 27125071
3 m – 27124071
4 m – 27123071

Scale 1:2

Scale 1:6

ROCK
MIDDLE BEIGE

2 m – 27125068
3 m – 27124068
4 m – 27123068

Scale 1:2

Scale 1:6



ROCK
GREY BLACK

ICONIK 260 | **SHELLSTONE**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

new

SHELLSTONE
IVORY

2 m – 27125517
3 m – 27124517
4 m – 27123517



Scale 1:6

new

SHELLSTONE
MEDIUM GREY

2 m – 27125518
3 m – 27124518
4 m – 27123518



Scale 1:6



SHELLSTONE
MEDIUM GREY

ICONIK 260 | **TENDENZA**

FORMAT
Allover

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



TENDENZA
COOL GREY

TENDENZA
COOL GREY

2 m – 240016024
3 m – 240011024
4 m – 240006024



Scale 1:6

TENDENZA
DARK GREY

2 m – 240016026
3 m – 240011026
4 m – 240006026



Scale 1:6

ICONIK 260 | ZARAGOZA TILE

FORMAT
17.5 × 17.5 cm / 45° | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 260 | **DJ**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



DJ
GREY

DJ
WHITE

2 m – 27125081
3 m – 27124081
4 m – 27123081

Scale 1:2

Scale 1:6

DJ
GREY

2 m – 27125083
3 m – 27124083
4 m – 27123083

Scale 1:2

Scale 1:6

DJ
BLACK

2 m – 27125082
3 m – 27124082
4 m – 27123082

Scale 1:2

Scale 1:6

ICONIK 260 | **CASTILLO**

FORMAT
20 × 20 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 260 | **ECHIQUIER 2**

FORMAT
25 × 25 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS

* All rooms except for Entrance / Hallway

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 260 | **METALLICA**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.6 mm

WEAR LAYER
0.22 mm

SEGMENTS
*

* All rooms except for Entrance / Hallway

BENEFITS
10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

METALLICA
GREY

2 m – 27125092
3 m – 27124092
4 m – 27123092

Scale 1:2

Scale 1:6



METALLICA
GREY

ICONIK 300 | BAVARIA HERRINGBONE

FORMAT
17.5 × 70 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 300 | MADISON HERRINGBONE

FORMAT
7 × 23.5 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



MADISON HERRINGBONE
LIGHT BROWN

MADISON HERRINGBONE new
LIGHT BEIGE

2 m – 5338468
3 m – 5264468
4 m – 5208468

Scale 1:2

Scale 1:6

MADISON HERRINGBONE new
HONEY

2 m – 5338466
3 m – 5264466
4 m – 5208466

Scale 1:2

Scale 1:6

MADISON HERRINGBONE new
LIGHT BROWN

2 m – 5338465
3 m – 5264465
4 m – 5208465

Scale 1:2

Scale 1:6

MADISON HERRINGBONE new
GREY

2 m – 5338467
3 m – 5264467
4 m – 5208467

Scale 1:2

Scale 1:6

ICONIK 300 | **ADMIRAL**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
100 × 150 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 300 | **ARCADIA**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 300 | **AUTHENTIC**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 300 | **BEECH**

FORMAT
7 × 26.5/30 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 300 | CASPIAN OAK

FORMAT
16 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT











ICONIK 300 | **MELEZE**

FORMAT
12.5 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 300 | **SWAN**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 300 | **CHAMPAGNE**

FORMAT
23,5 × 23,5 cm / 45° | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 300 | **MADRAS**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

MADRAS
GREY

2 m – 6503075
3 m – 6530075
4 m – 6578075

Scale 1:2

Scale 1:6



MADRAS
GREY

ICONIK 300 | **MAYA**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 300 | POLISHED CONCRETE

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

POLISHED CONCRETE
LIGHT GREY

2 m – 6503086
3 m – 6530086
4 m – 6578086

Scale 1:2

Scale 1:6



POLISHED CONCRETE
LIGHT GREY

POLISHED CONCRETE
GREGE

2 m – 6503084
3 m – 6530084
4 m – 6578084

Scale 1:2

Scale 1:6

ICONIK 300 | **MACADAM**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 300 | **PLAYFUL**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
3.0 mm

WEAR LAYER
0.25 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 240 | ANCARES HERRINGBONE

FORMAT
35.5 × 8.8 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

10 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT



ANCARES HERRINGBONE
GREGE

2 m – 5829228
3 m – 5828228
4 m – 5827228

Scale 1:2

Scale 1:6

new

ANCARES HERRINGBONE
ALMOND

2 m – 5829409
3 m – 5828409
4 m – 5827409

Scale 1:2

Scale 1:6

new

ANCARES HERRINGBONE
LION

2 m – 5829410
3 m – 5828410
4 m – 5827410

Scale 1:2

Scale 1:6

ICONIK 240 | **CITIZEN OAK**

FORMAT
16.66 × 133 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT









ICONIK 240 | **CLASSICAL OAK**

FORMAT
6.6 × multi-length cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 240 | FRENCH OAK

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT













ICONIK 240 | **HUDSON OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT









ICONIK 240 | **LEGACY OAK**

FORMAT
20 × 133 cm | planks

PATTERN REPEAT
100 × 133 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT









ICONIK 240 | **MAPLE**

FORMAT
20 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 240 | **MILL OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
100 × 150 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 240 | **NORDIC OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT













ICONIK 240 | **POWELL OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT

POWELL OAK
BLONDE

2 m – 240019018
3 m – 240014018
4 m – 240009018



POWELL OAK
BRONZE

2 m – 240019019
3 m – 240014019
4 m – 240009019





POWELL OAK
BRONZE

POWELL OAK
GREY

2 m – 240019307
3 m – 240014307
4 m – 240009307



ICONIK 240 | **TYROL PINE**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 240 | **WINTER PINE**

FORMAT
20 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT





ICONIK 240 | **ALMERIA**

FORMAT
20 × 20 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT







ICONIK 240 | **CEPPO**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT




CEPPO
GREY



ICONIK 240 | **COSMO**

FORMAT
33.33 × 33.33 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





ICONIK 240 | **KIRUMA**

FORMAT
Allover

SEGMENTS

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT

WEAR LAYER
0.35 mm







ICONIK 240 | NERO MARQUINE

FORMAT
Allover

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE
EXTREME PROTECTION
EXTRA MATT



NERO MARQUINE
BLACK

2 m – 5829234
3 m – 5828234
4 m – 5827234

ICONIK 240 | **ROCK**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



ROCK
SNOW BEIGE

ROCK
MIDDLE GREY

2 m – 5829033
3 m – 5828033
4 m – 5827033

Scale 1:2

Scale 1:6

ROCK
GREY BLACK

2 m – 5829019
3 m – 5828019
4 m – 5827019

Scale 1:2

Scale 1:6

ROCK
SNOW BEIGE

2 m – 5829018
3 m – 5828018
4 m – 5827018

Scale 1:2

Scale 1:6

ROCK
CHARCOAL

2 m – 5829144
3 m – 5828144
4 m – 5827144

Scale 1:2

Scale 1:6

ICONIK 240 | **SHELLSTONE**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



SHELLSTONE
IVORY

SHELLSTONE
IVORY

new

2 m – 5829704
3 m – 5828704
4 m – 5827704

Scale 1:2

Scale 1:6

SHELLSTONE
GREGE

new

2 m – 5829703
3 m – 5828703
4 m – 5827703

Scale 1:2

Scale 1:6

SHELLSTONE
GREY

new

2 m – 5829702
3 m – 5828702
4 m – 5827702

Scale 1:2

Scale 1:6

SHELLSTONE
MEDIUM GREY

new

2 m – 5829701
3 m – 5828701
4 m – 5827701

Scale 1:2

Scale 1:6

ICONIK 240 | STYLISH CONCRETE

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTREME PROTECTION | EXTRA MATT







ICONIK 240 | **ALBI**

FORMAT
16.6 × 16.6 cm | tiles

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT



ALBI
BLACK AND WHITE

2 m – 5829035
3 m – 5828035
4 m – 5827035



ALBI
BLACK AND WHITE

ICONIK 240 | **LOGIS**

FORMAT
25 × 25 cm | tiles

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.4 mm

WEAR LAYER
0.35 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTREME PROTECTION · EXTRA MATT





PREMIUM

CLASSIC 40 | 326
TOPAZ 70 | 348

Designed for **heavy-use areas**, this semi-commercial flooring **resists indentation and tearing** while meeting the daily demands of homes and businesses. Built for **durability** and adapted for **sustainability**, it delivers strength you can trust without compromising the planet.

AVAILABLE WITH CUTTING SERVICE



SHELLSTONE
GREGE

CLASSIC 40 | **BEECH**

FORMAT
7 × 26.5/30 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS





CLASSIC 40 | **GEA**

FORMAT
11.1 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTRA MATT | Top Clean PUR REINFORCED







CLASSIC 40 | **HARMONY OAK**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTRA MATT | Top Clean PUR REINFORCED





CLASSIC 40 | **POWELL OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTRA MATT | Top Clean PUR REINFORCED









CLASSIC 40 | **SOFT ELM**

FORMAT
14.25 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS

SOFT ELM
AUTHENTIC

2 m – 240020034
3 m – 240015034
4 m – 240010034

Scale 1:2

Scale 1:6

SOFT ELM
CARAMEL

2 m – 240020033
3 m – 240015033
4 m – 240010033

Scale 1:2

Scale 1:6



SOFT ELM
AUTHENTIC

CLASSIC 40 | **URBAN OAK**

FORMAT
12.5 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTRA MATT | Top Clean PUR REINFORCED



URBAN OAK
SMOKED







CLASSIC 40 | **WESTWING OAK**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE | EXTRA MATT | Top Clean PUR REINFORCED









CLASSIC 40 | **ROCK**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS





CLASSIC 40 | **TENDENZA**

FORMAT
Allover

PATTERN REPEAT
100 × 200 cm

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS
15 years GUARANTEE RESIDENTIAL USE · EXTRA MATT · Top Clean PUR REINFORCED





CLASSIC 40 | **CAMINO**

FORMAT
Allover

PATTERN REPEAT
Allover

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT
Top Clean PUR REINFORCED







CLASSIC 40 | **STARDUST**

FORMAT
Allover

PATTERN REPEAT
Allover

THICKNESS
2.0 mm

WEAR LAYER
0.40 mm

SEGMENTS

BENEFITS

15 years GUARANTEE RESIDENTIAL USE · EXTRA MATT · Top Clean PUR REINFORCED











TOPAZ 70 | **ANTIK OAK**

FORMAT
10 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS
10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT









TOPAZ 70 | **HUDSON OAK**

FORMAT
20 × 150 cm | planks

PATTERN REPEAT
150 × 200 cm

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS
10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT







TOPAZ 70 | **SWAN**

FORMAT
16.6 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS
10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT



SWAN
DRIFTWOOD









TOPAZ 70 | **URBAN OAK**

FORMAT
12.5 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS

10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT



URBAN OAK
TOFFEE



URBAN OAK
GOLDEN

2 m – 5626111
3 m – 5625111
4 m – 5624111



URBAN OAK
FALLOW

2 m – 5626113
3 m – 5625113
4 m – 5624113

URBAN OAK
SMOKED

2 m – 5626112
3 m – 5625112
4 m – 5624112

URBAN OAK
TOFFEE

2 m – 5626110
3 m – 5625110
4 m – 5624110

TOPAZ 70 | WINTER PINE

FORMAT
20 × 100 cm | planks

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS

10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT

WINTER PINE
SOFT BEIGE

2 m – 5626045
3 m – 5625045
4 m – 5624045



WINTER PINE
SOFT NATURAL

2 m – 5626044
3 m – 5625044
4 m – 5624044





WINTER PINE
SOFT NATURAL

WINTER PINE
PEBBLE GREY

2 m – 5626074
3 m – 5625074
4 m – 5624074



TOPAZ 70 | **KIRUMA**

FORMAT
Allover

PATTERN REPEAT
100 × 100 cm

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS

10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT

KIRUMA
BURNT SAND

2 m – 5626108
3 m – 5625108
4 m – 5624108

Scale 1:2
Scale 1:6

KIRUMA
CINEROUS

2 m – 5626109
3 m – 5625109
4 m – 5624109

Scale 1:2
Scale 1:6

KIRUMA
CINDERS

2 m – 5626106
3 m – 5625106
4 m – 5624106

Scale 1:2
Scale 1:6

KIRUMA
COBBELSTONE

2 m – 5626107
3 m – 5625107
4 m – 5624107

Scale 1:2
Scale 1:6



KIRUMA
CINDERS

TOPAZ 70 | **SHELLSTONE**

FORMAT
Allover

PATTERN REPEAT
133 × 200 cm

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS

10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT

new

SHELLSTONE
GREGE

2 m – 5626718
3 m – 5625718
4 m – 5624718



new

SHELLSTONE
MEDIUM GREY

2 m – 5626719
3 m – 5625719
4 m – 5624719





SHELLSTONE
GREGE

TOPAZ 70 | **CLIC**

FORMAT
Allover

PATTERN REPEAT
Allover

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS

10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT

CLIC
CLAIR

2 m – 5626018
3 m – 5625018
4 m – 5624018



CLIC
WARM GREY

2 m – 5626071
3 m – 5625071
4 m – 5624071



CLIC
GREGE

2 m – 5626021
3 m – 5625021
4 m – 5624021



CLIC
BEIGE

2 m – 5626016
3 m – 5625016
4 m – 5624016



CLIC
GREY

2 m – 5626020
3 m – 5625020
4 m – 5624020



CLIC
NOIR

2 m – 5626015
3 m – 5625015
4 m – 5624015



TOPAZ 70 | **ORO**

FORMAT
Allover

PATTERN REPEAT
Allover

THICKNESS
2.5 mm

WEAR LAYER
0.70 mm

SEGMENTS

BENEFITS

10 years GUARANTEE COMMERCIAL USE
15 years GUARANTEE RESIDENTIAL USE
EXTRA MATT

ORO
ASHES

2 m – 5626100
3 m – 5625100
4 m – 5624100

Scale 1:2

Scale 1:6

ORO
TERRA

2 m – 5626103
3 m – 5625103
4 m – 5624103

Scale 1:2

Scale 1:6



ORO
ASHES

TECHNICAL DETAILS AND FINISHES



Iconik 200Tex

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	ISO 10874	21 Moderate / Light
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	2.0 mm
Wear layer thickness	ISO 24340	0.15 mm
Total weight	ISO 23997	1300 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0066-DOP-2022-11
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R10
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.02 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.35 mm
Impact sound reduction – ΔLw	EN ISO 717-2	15 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.15%
Curl resistance	ISO 23999	≤ 8 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content		35%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µg/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 25 m Roll 3 × 25 m Roll 4 × 25 m
Number of designs available		26
Product ID		**Tarkett Value**
Domestic warranty (in years)		5

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.

Iconik 260Tex

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	ISO 10874	22 / 22+ Domestic general medium / Domestic general
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	2.6 mm
Wear layer thickness	ISO 24340	0.20 mm
Total weight	ISO 23997	1530 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0085-DOP-2024-10
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R10
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.04 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.35 mm
Impact sound reduction – ΔLw	EN ISO 717-2	18 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.15%
Curl resistance	ISO 23999	≤ 8 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content (up to)		32%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µg/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 25 m Roll 3 × 25 m Roll 4 × 25 m
Number of designs available		31
Product ID		**Tarkett Value**
Domestic warranty (in years)		10

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.

Iconik 280Tex

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	ISO 10874	23 Heavy
Commercial classification	ISO 10874	32 General
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	2.8 mm
Wear layer thickness	ISO 24340	0.35 mm
Total weight	ISO 23997	1760 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0016-DOP-2022-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R10
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.03 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.20 mm
Castor Chair	ISO 4918	No damage (25000 cycles)
Impact sound reduction – ΔLw	EN ISO 717-2	19 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.15%
Curl resistance	ISO 23999	≤ 8 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content		32%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µ/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 25 m Roll 3 × 25 m Roll 4 × 25 m
Number of designs available		75
Product ID		**Tarkett Value**
Domestic warranty (in years)		15

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.

Iconik 150

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	ISO 10874	21 Moderate / Light
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	1.5 mm
Wear layer thickness	ISO 24340	0.15 mm
Total weight	ISO 23997	1100 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0027-DOP-2025-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R9/R10 depending on the embossing
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.02 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.25 mm
Impact sound reduction – ΔLw	EN ISO 717-2	12 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.15%
Curl resistance	ISO 23999	≤ 8 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content (up to)		10%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µg/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 30 m I Roll 2 × 35 m Roll 3 × 30 m I Roll 3 × 35 m Roll 4 × 30 m I Roll 4 × 35 m
Number of designs available		20
Product ID		**Tarkett Value**
Domestic warranty (in years)		5

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.

Iconik 260

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	ISO 10874	22 / 22+ Domestic general medium / Domestic general
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	2.6 mm
Wear layer thickness	ISO 24340	0.22 mm
Total weight	ISO 23997	1475 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0082-DOP-2024-10
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R9/R10 depending on the embossing
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.04 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.25 mm
Impact sound reduction – ΔLw	EN ISO 717-2	20 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.15%
Curl resistance	ISO 23999	≤ 8 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content (up to)		28%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µg/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 30 m Roll 3 × 30 m Roll 4 × 30 m
Number of designs available		76
Product ID		**Tarkett Value**
Domestic warranty (in years)		10

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.

Iconik 300

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	ISO 10874	23 Heavy
Commercial classification	ISO 10874	31 Moderate
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	3.0 mm
Wear layer thickness	ISO 24340	0.25 mm
Total weight	ISO 23997	1840 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0081-DOP-2024-10
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R10
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.04 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.25 mm
Impact sound reduction – ΔLw	EN ISO 717-2	20 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.15%
Curl resistance	ISO 23999	≤ 8 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content (up to)		33%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µg/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 25 m Roll 3 × 25 m Roll 4 × 25 m
Number of designs available		28
Product ID		**Tarkett Value**
Domestic warranty (in years)		10

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.

Iconik 240

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	ISO 10874	23 Heavy
Commercial classification	ISO 10874	32 General
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	2.4 mm
Wear layer thickness	ISO 24340	0.35 mm
Total weight	ISO 23997	1580 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0023-DOP-2022-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R10
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.03 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.20 mm
Castor Chair	ISO 4918	No damage (25000 cycles)
Impact sound reduction – ΔLw	EN ISO 717-2	16 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.15%
Curl resistance	ISO 23999	≤ 8 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content		28%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µg/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 25 m Roll 3 × 25 m Roll 4 × 25 m
Number of designs available		52
Product ID		**Tarkett Value**
Domestic warranty (in years)		15

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.

Classic 40

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Heterogeneous poly(vinyl chloride) floor coverings
Domestic classification	ISO 10874	23 Heavy
Commercial classification	ISO 10874	32 General
Industrial classification	ISO 10874	41 Moderate
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	2.0 mm
Wear layer thickness	ISO 24340	0.40 mm
Total weight	ISO 23997	2150 g/m²
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0070-DOP-2024-10
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R10
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.02 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.10 mm
Castor Chair	ISO 4918	No damage (25000 cycles)
Impact sound reduction – ΔLw	EN ISO 717-2	13 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.40%
Curl resistance	ISO 23999	≤ 8 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content		26%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µg/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 25 m Roll 3 × 25 m Roll 4 × 25 m
Number of designs available		24
Product ID		**Tarkett Value**
Domestic warranty (in years)		15

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.

Topaz 70

DATASHEET

Classification	Norm	Tarkett Value
Product type	EN ISO 11638	Heterogeneous poly(vinyl chloride) floor coverings
Commercial classification	ISO 10874	34 Very Heavy
Industrial classification	ISO 10874	43 Heavy
Binder content	ISO 11638	Type I
Technical characteristics	**Norm**	**Tarkett Value**
Total thickness	ISO 24346	2.5 mm
Wear layer thickness	ISO 24340	0.70 mm
Total weight	ISO 23997	2900 g/m²
Surface treatment		TopClean
Performance for CE Marking	**Norm**	**Tarkett Value**
Declaration of Performance #	EN 14041	0007-0072-DOP-2024-10
Reaction to fire	EN 13501-1	Bfl-s1 glued over any A2fl or A1fl substrate (concrete) and/or Bfl-s1 glued over any derivate wood substrate
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Slip resistance (ramp test)	EN 16165 national Annex NB.2	R10
Electrostatic propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0.03 m² • K/W
Technical performance	**Norm**	**Tarkett Value**
Residual indentation	ISO 24343-1	≤ 0.10 mm
Castor Chair	ISO 4918	No damage (25000 cycles)
Furniture leg	EN 424	No damage
Impact sound reduction – ΔLw	EN ISO 717-2	14 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (subfloor maximum temperature 27°C)
Dimensional stability	ISO 23999	≤ 0.10%
Curl resistance	ISO 23999	≤ 8 mm
Seam strength	EN 684	≥ 240 N / 50 mm
Sustainability performance	**Norm**	**Tarkett Value**
Recyclability through ReStart®		Offcuts & post-use* – contact Tarkett for more information
Recycled content		29%
TVOC emissions after 28 days	EN 16516	Gold (≤ 100 µg/m³)
French VOC rating		A+
Phthalate content		Phthalate-free
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		**Tarkett Value**
Roll		Roll 2 × 24 m Roll 3 × 24 m Roll 4 × 24 m
Number of designs available		30
Product ID		**Tarkett Value**
Commercial warranty (in years)		10

** Loose-laid installed*

The above information is subject to modification for the benefit of further improvement (20/03/2025). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website https://www.tarkett.com. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.
Please contact Tarkett at the address shown for the instructions.



KNOX OAK
Grege

SELF-ADHESIVE DECORATIVE SKIRTINGS





NON-PVC PAINTABLE SKIRTING

Finished skirtings in extruded polystyrene (HDPS) for indoor use

Size: 58 mm high × 13 mm thick × 2400 mm length

Key features:

- Paintable – to create a perfect match to the floor
- Waterproof
- Shock-resistant
- 100% recyclable

References

	Aluminium	206009 003
	White	206009 004
	Black	206009 005
	Dark Grey	206009 006
	Medium Grey	206009 007
	Grey	206009 008
	Light Grey	206009 009
	Very Light Grey	206009 010

SPRAY ADHESIVE



TARKOSPRAY

Water-based acrylic spray adhesive

Packaging: 1 box = 6 bottles, 1 bottle = 15 m²

Key features:

- High grade acrylic adhesive, ready to use
- 70% faster to apply, no tools required
- Can be used immediately after evenly applying to the subfloor
- Safe solution: non-toxic, non-flammable, same propellant as asthma pumps, zero CFCfloorings is possible, except on the foam backing flooring or carpets.

References

English, French, German, Dutch, Polish – 1460 001

English, Swedish, Spanish, Italian, Portuguese – 1460 005

SELF-ADHESIVE DECORATIVE SKIRTINGS





NON-PVC PAINTABLE SKIRTING

Finished skirtings in extruded polystyrene (HDPS) for indoor use

Size: 58 mm high × 13 mm thick × 2400 mm length

Key features:

- Paintable – to create a perfect match to the floor
- Waterproof
- Shock-resistant
- 100% recyclable

References

White – 1411900